

## 2021 Consumer Confidence Report

Water System Name: NORTH GUALALA WATER COMPANY Report Date: 05/24/2022

Type of water source(s) in use: Wells & Surface Sources

Name & general location of source(s): Wells #4 & #5 at ELK PRAIRIE  
Big Gulch & Robinson Gulch at PACIFIC WOODS ROAD

Drinking Water Source Assessment information: There have been no contaminants detected in the water supply.  
However, the sources are still considered vulnerable to contaminations due to activities located near the drinking water sources.

Time and place of regularly scheduled board meetings for public participation: NGWC has no set regular meetings  
but questions and comments are always welcome and entertained. Call the number below or visit the office at 38958 Cypress Way in Gualala, CA.

For more information, contact: David Bower Phone: (707) 884-3579

*We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2021 and may include earlier monitoring data.*

Este informe contiene información muy importante sobre su agua para beber. Favor de comunicarse NORTH GUALALA WATER COMPANY a 38958 Cypress Way in Gualala, CA, (707) 884-3579 para asistirlo en español.

这份报告含有关于您的饮用水的重要讯息。请用以下地址和电话联系 NORTH GUALALA WATER COMPANY 以获得中文的帮助 38958 Cypress Way in Gualala, CA, (707) 884-3579

Ang pag-uulat na ito ay naglalaman ng mahalagang impormasyon tungkol sa inyong inuming tubig. Mangyaring makipag-ugnayan sa NORTH GUALALA WATER COMPANY o tumawag sa (707) 884-3579 para matulungan sa wikang Tagalog.

Báo cáo này chứa thông tin quan trọng về nước uống của bạn. Xin vui lòng liên hệ NORTH GUALALA WATER COMPANY tại (707) 884-3579 để được hỗ trợ giúp bằng tiếng Việt.

Tsab ntawv no muaj cov ntsiab lus tseem ceeb txog koj cov dej haus. Thov hu rau NORTH GUALALA WATER COMPABY ntawm (707) 884-3579 rau kev pab hauv lus Askiv.

### TERMS USED IN THIS REPORT

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Primary Drinking Water Standards (PDWS):** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Secondary Drinking Water Standards (SDWS):** MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

**Regulatory Action Level (AL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

**Variations and Exemptions:** Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.

**Level 1 Assessment:** A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

**Level 2 Assessment:** A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

**ND:** not detectable at testing limit

**ppm:** parts per million or milligrams per liter (mg/L)

**ppb:** parts per billion or micrograms per liter (µg/L)

**ppt:** parts per trillion or nanograms per liter (ng/L)

**ppq:** parts per quadrillion or picogram per liter (pg/L)

**pCi/L:** picocuries per liter (a measure of radiation)

**The sources of drinking water** (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

**Contaminants that may be present in source water include:**

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides* that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- *Organic chemical contaminants*, including synthetic and volatile organic chemicals that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants* that can be naturally-occurring or be the result of oil and gas production and mining activities.

**In order to ensure that tap water is safe to drink**, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

**Tables 1, 2, 3, 4, 5, 6 and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent.** The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

**TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION COLIFORM BACTERIA**

Microbiological Contaminants	Highest No. of Detection	No. of Months in Violation	MCL	MCLG	Typical Source of Contaminant
Total Coliform Bacteria (State Total Coliform Rule)	0	N/A		0	Naturally present in the environment
Fecal Coliform or E. Coli (State Coliform Rule)	0			None	Human and animal fecal waste
E. Coli (Federal Revised Coliform Rule)	0			0	Human and animal fecal waste

**TABLE 2 – SAMPLING RESULTS SHOWING THE DETECTION OF LEAD AND COPPER**

Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of Samples Collected	90 <sup>th</sup> Percentile Level Detected	No. Sites Exceeding AL	AL	PHG	No. of Schools Requesting Lead Sampling	Typical Source of Contaminant
Lead (ppb)	08/23-08/25/2021	10	0.00	0	15	0.2	Not applicable	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	08/23-08/25/2021	10	1.0	0	1.3	0.3	Not applicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

**TABLE 3 – SAMPLING RESULTS FOR SODIUM AND HARDNESS**

Chemical or Constituent (and reporting units)	Sample Date	Average Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	05/25/21-10/29/2020 12/21/2020	16.25	13.0-18.0	None	None	Salt present in the water and is generally naturally occurring
Hardness (ppm)	05/25/21-10/29/2020 12/21/2020	110.0	80.0-140.0	None	None	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

**TABLE 4 – DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD**

Chemical or Constituent (and reporting units)	Sample Date	Average Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Aluminum (ppm)	05/25/2021 12/14/2020	<0.03	0.0-<0.05	1	0.6	Erosion of natural deposits; residue from some surface water treatment process.
Antimony (ppb)	05/25/2021 12/14/2020	<3.0	0.0-<6.0	6	1	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder
Arsenic (ppb)	05/25/2021 12/14/2020	<1.0	0.0-<2.0	10	0.004	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes.
Asbestos (MFL)	09/12/2018 07/19/2017 02/12/2013	<0.10	0.0-<0.20	7	7	Internal corrosion of asbestos cement water mains; erosion of natural deposits.
Barium (ppm)	05/25/2021 12/14/2020	<0.05	0-<0.10	1	2	Discharge of oil drilling wastes and from metal refineries; erosion of natural deposits.
Beryllium (ppb)	05/25/2021 12/14/2020	<0.5	0.0-< 1.0	4	1	Discharge from metal refineries, coal-burning factories, and electrical, aerospace and defense industries
Cadmium (ppb)	05/25/2021 12/14/2020	<0.5	0.0-< 1.0	5	0.04	Internal corrosion of galvanized pipes; erosion of natural deposits; discharge from electroplating and industrial chemical factories, and metal refineries; runoff from waste batteries and paints.
Chromium (ppb)	05/25/2021 12/14/2020	<5.0	0.0-< 10.0	50	(100)	Discharge from steel & pulp mills & chrome plating; erosion of natural deposits.
Fluoride (ppm)	05/25/2021 12/14/2020	<0.05	0.0< 0.10	2.0	1	Erosion of natural deposits; water additive that promotes strong teeth; discharge from fertilizer and aluminum factories.
Mercury (inorganic)(ppb)	05/25/2021 12/14/2020	<0.5	0.0-< 1.0	2	1.2	Erosion of natural deposits; discharge from refineries & factories; runoff from landfills and cropland.
Nickel (ppb)	05/25/2021 12/14/2020	<5.0	0.0< 10.0	100	12	Erosion of natural deposits; discharge from metal factories.
Nitrate (as N) (ppm)	05/25/2021 01/27/2021	<0.2	0.0<0.40	10	10	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits.
Nitrite (as N) (ppm)	01/27/2021 03/09/2020 08/30/2019	<0.2	0.0-<0.40	1	1	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits.
Perchlorate (ppb)	05/25/2021 12/14/2020	<2	0.0-<4.0	6	1	Inorganic chemical used in solid rocket propellant, fireworks, explosives, flares, matches, and a variety of industries. It usually gets into drinking water as a result of environmental contamination from historic aerospace or

						other industrial operations that used or use, store, or dispose of perchlorate and its salts.
--	--	--	--	--	--	-----------------------------------------------------------------------------------------------

-Continued-

**TABLE 4 – DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD**

Chemical or Constituent (and reporting units)	Sample Date	Average Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Selenium (ppb)	05/25/2021 12/14/2020	<2.5	0.0-<5.0	50	30	Discharge from petroleum, glass and metal refineries; erosion of natural deposits; discharge from mines and chemical manufacturers; runoff from livestock lots (feed additives).
Thallium (ppb)	05/25/2021 12/14/2020	<0.50	0-<1.0	2	0.1	Leaching from ore-processing sites; discharge from electronics, glass, and drug factories.
Gross Alpha pCi/L	07/01/2015 02/03/2016	.67	0.0-1.29	15	0	Erosion of natural deposits.

**TABLE 5 – DETECTION OF CONTAMINANTS WITH A SECONDARY DRINKING WATER STANDARD**

Chemical or Constituent (and reporting units)	Sample Date	Average Level Detected	Range of Detections	MCL	Typical Source of Contaminant
Aluminum (ppb)	05/25/2021 12/14/2020	<12.5	0.0-<50.0	200	Erosion of natural deposits; residue from some surface water treatment process.
Color (Units)	05/25/2021 10/29/2020 12/21/2020	<5.0	0-<5.0	15	Naturally occurring organic materials
Copper (ppm)	05/25/2021 10/29/2020 12/21/2020	<0.025	0.0-<.05	1.0	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Foaming Agents [MBAS] (ppb)	05/25/2021 10/29/2020 12/21/2020	0	0	500	Municipal and industrial waste discharges
Iron (ppb)	05/25/2021 10/29/2020 12/21/2020	<50.0	0-<100	300	Leaching from natural deposits; industrial wastes
Manganese (ppb)	05/25/2021 10/29/2020 12/21/2020	<10.0	0-<20	50	Leaching from natural Deposits
MTBE [Secondary] (ppb)	02/22/2021 06/21/2019 12/10/2018	<1.50	0-<3	5	Leaking underground storage tanks; discharge from petroleum and chemical factories
Odor –Threshold (TON)	05/25/2021 10/29/2020 12/21/2020	<0.25	0-<1.0	3	Naturally-occurring organic materials
Silver (ppb)	05/25/2021 10/29/2020 12/21/2020	<5.0	0-<10.0	100	Industrial Discharges
Turbidity (NTU)	05/25/2021 10/29/2020 12/21/2020	3.22	0.88-12.0	5	Soil Run-off
Zinc (ppm)	03/09/2020 10/29/2020 12/21/2020	.085	0-0.17	5	Runoff/leaching from natural deposits; industrial wastes
Total Dissolved Solids [TDS] (ppm)	05/25/2021 10/29/2020 12/21/2020	177.50	130-220	1000	Runoff/leaching from natural deposits
Specific Conductance [EC] (µS/cm)	05/25/2021 10/29/2020 12/21/2020	277.50	210-340	1,600	Substances that form ions from natural deposits; seawater influence
Chloride (ppm)	05/25/2021 10/29/2020 12/21/2020	14.75	6.40-23.0	500	Runoff/leaching from natural deposits; seawater influence
Sulfate (ppm)	05/25/2021 10/29/2020 12/21/2020	11.5	7.20-18.0	500	Runoff/leaching from natural deposits; seawater influence

NOTE: There are no PHGs, MCLGs, or mandatory standard health effects language for these constituents because secondary MCLs are set on the basis of aesthetic concerns.

**TABLE 6 – DETECTION OF UNREGULATED CONTAMINANTS**

Chemical or Constituent (and reporting units)	Sample Date	Average Level Detected	Range of Detections	Notification Level	Major Source of Contamination
TTHMs [Total Trihalomethanes] (ppb)	2021 Quarterly	26.40	1.25-48.97	80 (MCL)	Byproduct of drinking water disinfection
Haloacetic Acids (ppb)	2021 Quarterly	10.20	1.5-20.6	60 (MCL)	Byproduct of drinking water disinfection

**Additional General Information on Drinking Water**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA’s Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. North Gualala Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. [OPTIONAL: If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants.] If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at <http://www.epa.gov/lead>.

**Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement**

**TABLE 7 - VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT**

NONE

**For Systems Providing Groundwater Water as a Source of Drinking Water**

**TABLE 8 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUNDWATER SOURCE SAMPLES**

NONE

**TABLE 9 – VIOLATION OF GROUNDWATER TT**

NONE

**For Systems Providing Surface Water as a Source of Drinking Water**

**TABLE 10 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES**

Treatment Technique <sup>(a)</sup> (Type of approved filtration technology used)	ALTERNATIVE TECHNOLOGY
Turbidity Performance Standards <sup>(b)</sup> (that must be met through the water treatment process)	Turbidity of the filtered water must: 1 – Be less than or equal to 1 NTU in 95% of measurements. 2 – Not exceed 5.0 NTU at any time.
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	100
Highest single turbidity measurement during the year	12.0
Number of violations of any surface water treatment requirements	0

(a) A required process intended to reduce the level of a contaminant in drinking water.

(b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

**Summary Information for Violation of a Surface Water TT**

**TABLE 11 - VIOLATION OF SURFACE WATER TT**

NONE